




PRESTIGE MANAGEMENT
GROUP SOLUTIONS

HARD SURFACE
DISINFECTANT
&
DISINFECTANT
WIPES



**KAM-SAN
QUATRO**



KAM-SAN QUATRO

hard surface disinfectant

Distributed by



PRESTIGE MANAGEMENT
GROUP SOLUTIONS

Effective, Safe & Affordable

Our products are on CDC list to kill human coronavirus to fight COVID-19 and Noravirus. Can also be used as mildewstat, food & non-food contact sanitizer and laundry; high-concentrated broad spectrum QUAT-based, one-step hard surface disinfectant.

- Lodging and Hospitality Establishments
- Education and Office Buildings
- Airports, Cruise Ships
- Healthcare Facilities
- Athletic Facilities, Gyms
- Restrooms/Rest Stops
- Veterinary
- Casinos

*EPA approved
kills COVID-19
and Noravirus*

**KAM-SAN
QUATRO**



**DISINFECTANT
WIPES**



PRODUCT SPECS

KAM-SAN QUATRO

hard surface disinfectant

RECOMMENDED FOR USE IN:

- Casinos
- Restrooms/Rest Stops
- Veterinary
- Airports, Cruise Ships
- Athletic Facilities, Gyms
- Education and Office Buildings
- Lodging & Hospitality Establishments
- Healthcare Facilities

ECONOMICAL:

1 oz./gal concentrate offers real cost savings over a ready-to-use product.

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:

This product is effective against: *Acinetobacter baumannii*, *Bordetella bronchiseptica*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, Vancomycin Resistant *Enterococcus faecalis* (VRE), *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – ((NDM-1 positive) (New Delhi metallo- beta-lactamase)) (CDC 1000527), *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *taphylococcus aureus*, Community associated Methicillin resistant *Staphylococcus aureus* (CA MRSA), *Staphylococcus aureus* (Methicillin resistant), Vancomycin Intermediate resistant *Staphylococcus aureus* (VISA) (HIP 5836), *Streptococcus salivarius*

VIRUCIDAL PERFORMANCE:

This product is effective against: Avian Influenza A H5N1 virus, Avian influenza A H9N2/Turkey/ Wisconsin virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex virus Type1, Human Coronavirus, HIV-1 (AIDS Virus), Influenza A2/Japan virus, Influenza A H1N1 virus, Norovirus (Norwalk-like virus)

FUNGICIDAL PERFORMANCE:

This product is effective against: *Trichophyton mentagrophytes*

NON-FOOD CONTACT SANITIZING PERFORMANCE:

This product is effective against: *Staphylococcus aureus*, *Klebsiella pneumoniae*

MILDEWICIDAL PERFORMANCE:

This product is effective against: *Aspergillus niger*

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances.

FOR USE AS A ONE-STEP CLEANER/ DISINFECTANT:

1. Pre-clean heavily soiled areas.
2. Apply 1 ounces of this product per 1 gallon of water (700 ppm active) (or equivalent use dilution) to hard, non-porous surfaces using a sponge, brush, cloth, mop, auto scrubber or mechanical spray device coarse pump or trigger spray device or by immersion. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Rub with brush, cloth, or sponge.
4. To disinfect, all surfaces must remain wet for 10 minutes.
5. Rinse and allow to air dry.
6. Change cloth, sponge or towels frequently to avoid redeposition of soil. A fresh solution must be prepared at least daily or when use solution becomes visibly dirty.

CONTACT TIME:

For HIV only, leave hard nonporous surfaces wet for 2 minutes. For all other viruses and bacteria, leave hard nonporous surfaces wet for 10 minutes. The 2-minute contact time will not control other common types of viruses and bacteria listed on this label.

EFFECTIVENESS AGAINST CANINE PARVOVIRUS (CPV), MINUTE VIRUS OF MICE (PARVOVIRUS) AND PORCINE PARVOVIRUS:

Saturate surfaces with the disinfecting solution of 4 ounces per 1 gallon of water (or equivalent use dilution) for a period of 10 minutes.

SPECIFICATION DATA:

pH (Concentrate): 11.0 –12.0

Specific Gravity: 1.052 @ 24°C / 75°F

Flash Point: None to boiling

Cloud Point: None to boiling

Viscosity: Water-thin

Density: 8.75 lbs/gal. @ 24°C / 75°F

Color: Orange Fragrance: fresh

Stability: • Shelf @ 24°C / 75°F: One year minimum

• Freeze / Thaw Cycle: Product will withstand three freeze/thaw cycles.

PACKAGING:

- 55 Gallon Drum
- 5 Gallon Pail
- 1 Gallon (4 per case)

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this product. Please review the MSDS and consult our representative for any other questions.



PRESTIGE MANAGEMENT
GROUP SOLUTIONS



PRESTIGE MANAGEMENT
GROUP SOLUTIONS

CONTACT US

www.CleanAer.net

hello@cleanaer.net

407-488-2753